

## HYGIENE EQUIPMENT



### HAND DISINFECTION UNIT WITH TURN STYLE 11.1102.00 (TWO-WAYS, RIGHT EXECUTION, WALL INSTALLATION)

The machine is designated for personal hygienic control when entering in and going out of working areas.

Activation by disinfection unit (entrance) and by photocell (unlock the turn style for exit). Disinfection process can be controlled by time.

The disinfectant can be left or right execution, floor or wall installation. Turn style rotation can be one-way (entrance only).

The machine complies with the Council Directives No. 2006/42/EC and 2006/95/EC and USDA regulations.



## HYGIENE EQUIPMENT

---

### Technical data:

Power supply	V/Hz	230/50
Control voltage	V	24 DC
Installed power	W	~ 140
Weight	kg	52
Passing time	sec	~ 3

### Dimensions:

Length of body (without turn style)	mm	523
Total length	mm	975
Width of the body	mm	310
Width	mm	880
Height	mm	915



**11.1112.00 – floor fixation**



**11.0010.00 – floor fixation, without turn style**



**11.0000.00 – without turn style**

## HYGIENE EQUIPMENT

### HAND DISINFECTATION UNIT WITH TURN STYLE

Art. No	11.1102.00	11.1202.00	11.1112.00	11.1212.00	11.0010.00	11.0000.00
Dimensions (L,W,H mm)	975/880/915		975/880/1270		1270/798/545	770/798/545
Hand disinfection unit/sink	yes/no		yes/no		yes/no	yes/no
Turn style/gate	yes/no		yes/no		no/no	no/no
Disinfection bath/drip-off zone	no/no		no/no		no/no	no/no
Brushes - soles/boots (length of horizontal/height of vertical in mm)	no/no		no/no		no/no	no/no
One-way/two-ways	two-ways		two-ways		two-ways	two-ways
Execution left/right	right	left	right	left	-	-
Installation - floor/wall	no/yes		yes/no		yes/no	no/yes
Passing time (sec)	~ 3		~ 3		~ 3	~ 3
Instaled power (kW)	~ 0,14		~ 0,14		~ 0.1	~ 0.1
Power supply - electricity/water/steam/compressed air/drain	230 V / 50 Hz min. 2 bar water drain DN50		230 V / 50 Hz min. 2 bar water drain DN50		230 V / 50 Hz min. 2 bar water drain DN50	230 V / 50 Hz min. 2 bar water drain DN50
Miscellaneous					without turn style	without turn style